

Algebra I

Unit 1: Relationships Between Quantities and Reasoning with Equations

By the end of eighth grade students have learned to solve linear equations in one variable and have applied graphical and algebraic methods to analyze and solve systems of linear equations in two variables. This unit builds on these earlier experiences by asking students to analyze and explain the process of solving an equation. Students develop fluency writing, interpreting, and translating between various forms of linear equations and inequalities, and using them to solve problems. They master the solution of linear equations and apply related solution techniques and the laws of exponents to the creation and solution of simple exponential equations. All of this work is grounded on understanding quantities and on relationships between them.

Clusters with Instructional Notes	Common Core State Standards	Sections
SKILLS TO MAINTAIN <i>Reinforce understanding of the properties of integer exponents. The initial experience with exponential expressions, equations, and functions involves integer exponents and builds on this understanding.*</i>		
<ul style="list-style-type: none"> Reason quantitatively and use units to solve problems. <i>Working with quantities and the relationships between them provides grounding for work with expressions, equations, and functions.</i> 	<p>N.Q.1 Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.</p> <p>N.Q.2 Define appropriate quantities for the purpose of descriptive modeling.</p> <p>N.Q.3 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.</p>	<p>Ch. 8 Ch. 6.7 Ch. 3</p> <p>Supp.</p> <p>Ch. 8</p>
<ul style="list-style-type: none"> Interpret the structure of expressions. <i>Limit to linear expressions and to exponential expressions with integer exponents.</i> 	<p>A.SSE.1 Interpret expressions that represent a quantity in terms of its context. ★</p> <p>a. Interpret parts of an expression, such as terms, factors, and coefficients.</p> <p>b. Interpret complicated expressions by viewing one or more of their parts as a single entity. <i>For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P.</i></p>	<p>Ch. 3 Ch.9</p> <p>Ch. 8 Ch. 9</p>
<ul style="list-style-type: none"> Create equations that describe numbers or relationships. <i>Limit A.CED.1 and A.CED.2 to linear and exponential equations, and, in the case of exponential equations, limit to situations requiring evaluation of exponential functions at integer inputs. Limit A.CED.3 to linear equations and inequalities. Limit A.CED.4 to formulas which are linear in the variable of interest.</i> 	<p>A.CED.1 Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p> <p>A.CED.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p> <p>A.CED.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. <i>For example, represent inequalities describing nutritional and cost constraints on combinations</i></p>	<p>Ch. 3 Ch. 6 Ch. 8</p> <p>Ch. 7</p> <p>Ch. 4</p>

	<p><i>of different foods.</i></p> <p>A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. <i>For example, rearrange Ohm's law $V = IR$ to highlight resistance R.</i></p>	Ch. 3
<ul style="list-style-type: none"> • <i>Understand solving equations as a process of reasoning and explain the reasoning. Students should focus on and master A.REI.1 for linear equations and be able to extend and apply their reasoning to other types of equations in future courses. Students will solve exponential equations with logarithms in Algebra II.</i> 	<p>A.REI.1 Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.</p>	Ch. 3
<ul style="list-style-type: none"> • <i>Solve equations and inequalities in one variable. Extend earlier work with solving linear equations to solving linear inequalities in one variable and to solving literal equations that are linear in the variable being solved for. Include simple exponential equations that rely only on application of the laws of exponents, such as $5x=125$ or $2x=1/16$.</i> 	<p>A.REI.3 Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.</p>	Ch. 3 Ch. 4

Unit 2: Linear and Exponential Relationships

In earlier grades, students define, evaluate, and compare functions, and use them to model relationships between quantities. In this unit, students will learn function notation and develop the concepts of domain and range. They move beyond viewing functions as processes that take inputs and yield outputs and start viewing functions as objects in their own right. They explore many examples of functions, including sequences; they interpret functions given graphically, numerically, symbolically, and verbally, translate between representations, and understand the limitations of various representations. They work with functions given by graphs and tables, keeping in mind that, depending upon the context, these representations are likely to be approximate and incomplete. Their work includes functions that can be described or approximated by formulas as well as those that cannot. When functions describe relationships between quantities arising from a context, students reason with the units in which those quantities are measured. Students explore systems of equations and inequalities, and they find and interpret their solutions. Students build on and informally extend their understanding of integer exponents to consider exponential functions. They compare and contrast linear and exponential functions, distinguishing between additive and multiplicative change. They interpret arithmetic sequences as linear functions and geometric sequences as exponential functions.

Clusters with Instructional Notes	Common Core State Standards	Sections
<ul style="list-style-type: none"> Extend the properties of exponents to rational exponents. <p>In implementing the standards in curriculum, these standards should occur before discussing exponential functions with continuous domains.</p>	<p>N.RN.1 Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5(1/3)^3$ to hold, so $(5^{1/3})^3$ must equal 5.</p> <p>N.RN.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.</p>	<p>Supp.</p> <p>Supp.</p>
<ul style="list-style-type: none"> Solve systems of equations. <p>Build on student experiences graphing and solving systems of linear equations from middle school to focus on justification of the methods used. Include cases where the two equations describe the same line (yielding infinitely many solutions) and cases where two equations describe parallel lines (yielding no solution); connect to GPE.5 when it is taught in Geometry, which requires students to prove the slope criteria for parallel lines.</p>	<p>A.REI.5 Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.</p> <p>A.REI.6 Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.</p>	<p>Ch. 7</p> <p>Ch. 7</p>
<ul style="list-style-type: none"> Represent and solve equations and inequalities graphically. <p>For A.REI.10, focus on linear and exponential equations and be able to adapt and apply that learning to other types of equations in future courses. For A.REI.11, focus on cases where $f(x)$ and $g(x)$ are linear or exponential.</p>	<p>A.REI.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).</p> <p>A.REI.11 Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial,</p>	<p>Ch. 5</p> <p>Ch. 6</p> <p>Ch. 10 (1:H6)</p> <p>Supp.</p>

	<p>rational, absolute value, exponential, and logarithmic functions.★</p> <p>A.REI.12 Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.</p>	Ch. 7
<p>• Understand the concept of a function and use function notation.</p> <p>Students should experience a variety of types of situations modeled by functions. Detailed analysis of any particular class of functions at this stage is not advised. Students should apply these concepts throughout their future mathematics courses. Draw examples from linear and exponential functions. In F.IF.3, draw connection to F.BF.2, which requires students to write arithmetic and geometric sequences. Emphasize arithmetic and geometric sequences as examples of linear and exponential functions.</p>	<p>F.IF.1 Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input x. The graph of f is the graph of the equation $y = f(x)$.</p> <p>F.IF.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.</p> <p>F.IF.3 Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n+1) = f(n) + f(n-1)$ for $n \geq 1$.</p>	<p>Ch. 5</p> <p>Ch. 5</p> <p>Ch. 5 Ch. 8</p>
<p>• Interpret functions that arise in applications in terms of a context.</p> <p>For F.IF.4 and 5, focus on linear and exponential functions. For F.IF.6, focus on linear functions and exponential functions whose domain is a subset of the integers. Unit 5 in this course and the Algebra II course address other types of functions.</p>	<p>F.IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.★</p> <p>F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.★</p> <p>F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.★</p>	<p>Ch. 6 Ch. 8 Ch. 10</p> <p>Ch. 5 Ch. 10</p> <p>Ch. 6</p>
<p>• Analyze functions using different representations.</p> <p>For F.IF.7a, 7e, and 9 focus on linear and exponentials functions. Include comparisons of two functions presented algebraically. For example, compare the growth of two linear</p>	<p>F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.★</p> <p>a. Graph linear and quadratic functions and show intercepts, maxima, and minima.</p> <p>e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric</p>	<p>Ch. 5</p> <p>Ch. 6 Ch. 10</p> <p>Ch. 8</p>

<p>functions, or two exponential functions such as $y=3^n$ and $y=100^2$</p>	<p>functions, showing period, midline, and amplitude.</p> <p>F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</p>	<p>Ch. 10</p>
<p>• Build a function that models a relationship between two quantities.</p> <p>Limit to F.BF.1a, 1b, and 2 to linear and exponential functions. In F.BF.2, connect arithmetic sequences to linear functions and geometric sequences to exponential functions.</p>	<p>F.BF.1 Write a function that describes a relationship between two quantities.★</p> <ol style="list-style-type: none"> Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. <p>F.BF.2 Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.★</p>	<p>Supp.</p> <p>Supp.</p> <p>Ch. 5 Ch. 8</p>
<p>• Build new functions from existing functions.</p> <p>Focus on vertical translations of graphs of linear and exponential functions. Relate the vertical translation of a linear function to its y-intercept.</p> <p>While applying other transformations to a linear graph is appropriate at this level, it may be difficult for students to identify or distinguish between the effects of the other transformations included in this standard.</p>	<p>F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</p>	<p>Supp.</p>
<p>• Construct and compare linear, quadratic, and exponential models and solve problems.</p> <p>For F.LE.3, limit to comparisons between linear and exponential models. In constructing linear functions in F.LE.2, draw on and consolidate previous work in Grade 8 on finding equations for lines and linear functions (8.EE.6, 8.F.4).</p>	<p>F.LE.1 Distinguish between situations that can be modeled with linear functions and with exponential functions.</p> <ol style="list-style-type: none"> Prove that linear functions grow by equal differences over equal intervals; and that exponential functions grow by equal factors over equal intervals. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another. <p>F.LE.2 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).</p>	<p>Ch. 6 Ch. 8</p> <p>Ch. 6</p> <p>Ch. 8</p> <p>Ch. 5 Ch. 8</p>

	F.LE.3 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	Ch. 10
<ul style="list-style-type: none"> Interpret expressions for functions in terms of the situation they model. <p>Limit exponential functions to those of the form $f(x) = b^x + k$.</p>	F.LE.5 Interpret the parameters in a linear or exponential function in terms of a context.	Ch. 10

Unit 3: Descriptive Statistics

Experience with descriptive statistics began as early as Grade 6. Students were expected to display numerical data and summarize it using measures of center and variability. By the end of middle school they were creating scatterplots and recognizing linear trends in data. This unit builds upon that prior experience, providing students with more formal means of assessing how a model fits data. Students use regression techniques to describe approximately linear relationships between quantities. They use graphical representations and knowledge of the context to make judgments about the appropriateness of linear models. With linear models, they look at residuals to analyze the goodness of fit.

Clusters with Instructional Notes	Common Core State Standards	Sections
<ul style="list-style-type: none"> Summarize, represent, and interpret data on a single count or measurement variable. <p><i>In grades 6 – 8, students describe center and spread in a data distribution. Here they choose a summary statistic appropriate to the characteristics of the data distribution, such as the shape of the distribution or the existence of extreme data points.</i></p>	<p>S.ID.1 Represent data with plots on the real number line (dot plots, histograms, and box plots).</p> <p>S.ID.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.</p> <p>S.ID.3 Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).</p>	<p>Supp. Ch. 5</p> <p>Ch. 1 Ext. Ch. 11 pg 636</p> <p>Supp.</p>
<ul style="list-style-type: none"> Summarize, represent, and interpret data on two categorical and quantitative variables. <p><i>Students take a more sophisticated look at using a linear function to model the relationship between two numerical variables. In addition to fitting a line to data, students assess how well the model fits by analyzing residuals. S.ID.6b should be focused on linear models, but may be used to preview quadratic functions in Unit 5 of this course.</i></p>	<p>S.ID.5 Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.</p> <p>S.ID.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.</p> <p>a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. <i>Use given functions or choose a function suggested by the context. Emphasize linear and exponential models.</i></p> <p>b. Informally assess the fit of a function by plotting and analyzing residuals.</p> <p>c. Fit a linear function for a scatter plot that suggests a linear</p>	<p>Supp.</p> <p>Ch. 6</p> <p>Ch. 6</p> <p>Supp.</p> <p>Ch. 6</p>

	association.	
<ul style="list-style-type: none"> Interpret linear models. <p><i>Build on students' work with linear relationships in eighth grade and introduce the correlation coefficient. The focus here is on the computation and interpretation of the correlation coefficient as a measure of how well the data fit the relationship. The important distinction between a statistical relationship and a cause-and-effect relationship arises in S.ID.9.</i></p>	<p>S.ID.7 Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.</p> <p>S.ID.8 Compute (using technology) and interpret the correlation coefficient of a linear fit.</p> <p>S.ID.9 Distinguish between correlation and causation.</p>	<p>Ch. 6</p> <p>Ch. 6</p> <p>Supp.</p>

Unit 4: Expressions and Equations

In this unit, students build on their knowledge from unit 2, where they extended the laws of exponents to rational exponents. Students apply this new understanding of number and strengthen their ability to see structure in and create quadratic and exponential expressions. They create and solve equations, inequalities, and systems of equations involving quadratic expressions.

Clusters with Instructional Notes	Common Core State Standards	Sections
<ul style="list-style-type: none"> Interpret the structure of expressions. <i>Focus on quadratic and exponential expressions. For A.SSE.1b, exponents are extended from the integer exponents found in Unit 1 to rational exponents focusing on those that represent square or cube roots.</i> 	<p>A.SSE.1 Interpret expressions that represent a quantity in terms of its context. ★</p> <p>a. Interpret parts of an expression, such as terms, factors, and coefficients.</p> <p>b. Interpret complicated expressions by viewing one or more of their parts as a single entity. <i>For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P.</i></p> <p>A.SSE.2 Use the structure of an expression to identify ways to rewrite it. <i>For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.</i></p>	<p>Ch. 3</p> <p>Ch. 9</p> <p>Ch. 8</p> <p>Ch. 9</p> <p>Ch. 9</p>
<ul style="list-style-type: none"> Write expressions in equivalent forms to solve problems. <i>It is important to balance conceptual understanding and procedural fluency in work with equivalent expressions. For example, development of skill in factoring and completing the square goes hand-in-hand with understanding what different forms of a quadratic expression reveal.</i> 	<p>A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. ★</p> <p>a. Factor a quadratic expression to reveal the zeros of the function it defines.</p> <p>b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.</p> <p>c. Use the properties of exponents to transform expressions for exponential functions. <i>For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i></p>	<p>Ch. 10</p> <p>Ch. 10</p> <p>Ch. 8</p>

<ul style="list-style-type: none"> Perform arithmetic operations on polynomials. <i>Focus on polynomial expressions that simplify to forms that are linear or quadratic in a positive integer power of x.</i> 	<p>A.APR.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.</p>	<p>Ch. 9</p>
<ul style="list-style-type: none"> Create equations that describe numbers or relationships. <i>Extend work on linear and exponential equations in Unit 1 to quadratic equations. Extend A.CED.4 to formulas involving squared variables.</i> 	<p>A.CED.1 Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p> <p>A.CED.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p> <p>A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. <i>For example, rearrange Ohm's law $V = IR$ to highlight resistance R.</i></p>	<p>Ch. 10</p> <p>Ch. 10</p> <p>Ch. 3</p>
<ul style="list-style-type: none"> Solve equations and inequalities in one variable. <i>Students should learn of the existence of the complex number system, but will not solve quadratics with complex solutions until Algebra II.</i> 	<p>A.REI.4 Solve quadratic equations in one variable.</p> <ol style="list-style-type: none"> Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b. 	<p>Ch. 10</p> <p>Ch. 10</p>
<ul style="list-style-type: none"> Solve systems of equations. <i>Include systems consisting of one linear and one quadratic equation. Include systems that lead to work with fractions. For example, finding the intersections between $x^2 + y^2 = 1$ and $y = (x+1)/2$ leads to the point $(3/5, 4/5)$ on the unit circle, corresponding to the Pythagorean triple $3^2 + 4^2 = 5^2$.</i> 	<p>A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. <i>For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.</i></p>	<p>Ch. 7</p>

Unit 5: Quadratic Functions and Modeling

In preparation for work with quadratic relationships students explore distinctions between rational and irrational numbers. They consider quadratic functions, comparing the key characteristics of quadratic functions to those of linear and exponential functions. They select from among these functions to model phenomena. Students learn to anticipate the graph of a quadratic function by interpreting various forms of quadratic expressions. In particular, they identify the real solutions of a quadratic equation as the zeros of a related quadratic function. Students learn that when quadratic equations do not have real solutions the number system must be extended so that solutions exist, analogous to the way in which extending the whole numbers to the negative numbers allows $x+1 = 0$ to have

a solution. Formal work with complex numbers comes in Algebra II. Students expand their experience with functions to include more specialized functions—absolute value, step, and those that are piecewise-defined.

Clusters with Instructional Notes	Common Core State Standards	Sections
<ul style="list-style-type: none"> Use properties of rational and irrational numbers. <p><i>Connect N.RN.3 to physical situations, e.g., finding the perimeter of a square of area 2.</i></p>	<p>N.RN.3 Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.</p>	<p>Supp.</p>
<ul style="list-style-type: none"> Interpret functions that arise in applications in terms of a context. <p><i>Focus on quadratic functions; compare with linear and exponential functions studied in Unit 2.</i></p>	<p>F.IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</i> ★</p> <p>F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i> ★</p> <p>F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. ★</p>	<p>Ch. 10</p> <p>Ch. 10</p> <p>Ch. 10</p>
<ul style="list-style-type: none"> Analyze functions using different representations. <p><i>For F.IF.7b, compare and contrast absolute value, step and piecewise-defined functions with linear, quadratic, and exponential functions. Highlight issues of domain, range, and usefulness when examining piecewise-defined functions. Note that this unit, and in particular in F.IF.8b, extends the work begun in Unit 2 on exponential functions with integer exponents. For F.IF.9, focus on expanding the types of functions considered to include, linear, exponential, and quadratic.</i></p> <p><i>Extend work with quadratics to include the relationship between coefficients and roots, and that once roots are known, a quadratic equation can be factored.</i></p>	<p>F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. ★</p> <ol style="list-style-type: none"> Graph linear and quadratic functions and show intercepts, maxima, and minima. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. <p>F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <ol style="list-style-type: none"> Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context. Use the properties of exponents to interpret expressions for exponential functions. <i>For example, identify percent rate of change in functions such as $y = (1.02)t$, $y = (0.97)t$, $y = (1.01)12t$, $y = (1.2)t/10$, and</i> 	<p>Ch. 6</p> <p>Ch. 10</p> <p>Ch. 5</p> <p>Ch. 10</p> <p>Ch. 8</p>

	<p><i>classify them as representing exponential growth or decay.</i></p> <p>F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i></p>	Ch. 10
<ul style="list-style-type: none"> • Build a function that models a relationship between two quantities. <p><i>Focus on situations that exhibit a quadratic relationship.</i></p>	<p>F.BF.1 Write a function that describes a relationship between two quantities.★</p> <ol style="list-style-type: none"> Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. <i>For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</i> 	<p>Supp.</p> <p>Supp.</p>
<ul style="list-style-type: none"> • Build new functions from existing functions. <p><i>For F.BF.3, focus on quadratic functions, and consider including absolute value functions. For F.BF.4a, focus on linear functions but consider simple situations where the domain of the function must be restricted in order for the inverse to exist, such as $f(x) = x^2, x > 0$.</i></p>	<p>F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. <i>Include recognizing even and odd functions from their graphs and algebraic expressions for them.</i></p> <p>F.BF.4 Find inverse functions.</p> <ol style="list-style-type: none"> Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. <i>For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$.</i> 	<p>Supp.</p> <p>Supp.</p>
<ul style="list-style-type: none"> • Construct and compare linear, quadratic, and exponential models and solve problems. <p><i>Compare linear and exponential growth to quadratic growth.</i></p>	<p>F.LE.3 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.</p>	Ch. 10